

# GUNA<sup>®</sup>-ANTI IL 1

FDA listed and regulated <sup>1</sup>

HOMEOPATHIC MEDICINE



## Drug Facts

Active Ingredients		Purpose
Anti Interleukin 1 alpha	4C	Acute Pain and Fever Relief
Anti Interleukin 1 beta	4C	Acute Pain and Fever Relief

## Uses

Acute Pain and Fever Relief

## Directions

Take 15 minutes before meals.

Adults and children 12 years and older	20 drops twice a day in a little water. Hold in the mouth for about 30 seconds then swallow.
Children between 12 years and 6 years of age	10 drops twice a day in a little water. Hold in the mouth for about 30 seconds then swallow.
Children under 6 years	5 drops twice a day in a glass of water.

## Package

30 ml / 1.0 fl. oz. bottle

## Other Information

Store at 20°-25° C (68°-77° F).

## Inactive Ingredient

Ethyl alcohol 30%

## Contacts

info@gunainc.com, tel. (484) 223 3500  
www.gunainc.com

## Warnings

**Stop use and ask doctor** if symptoms worsen or persist more than 3 days. **If pregnant or breast-feeding** ask a doctor before use. **Keep this and all medicines** out of reach of children.



<sup>1</sup> U.S. Food and Drug Administration Sec. 400.400 Conditions Under Which Homeopathic Drugs May be Marketed (CPG7132.15).

These statements have not been evaluated by the Food and Drug Administration. They are not intended to diagnose, treat, cure, or prevent any disease. They are not a substitute for individual medical attention.

## GUNA METHOD

PHYSIOLOGICAL REGULATING MEDICINE

### Immune System Support



### Musculoskeletal support



### Pain Relief Support



### Cold and Flu Symptom Support



US Distributor:



# GUNA<sup>®</sup>-IL 2

FDA listed and regulated <sup>1</sup>

HOMEOPATHIC MEDICINE



## Drug Facts

Active Ingredients		Purpose
Interleukin 2	4C	Immune System Support

## Uses

Immune System Support

## Directions

Take 15 minutes before meals.

Adults and children 12 years and older	20 drops twice a day in a little water. Hold in the mouth for about 30 seconds then swallow.
Children between 12 years and 6 years of age	10 drops twice a day in a little water. Hold in the mouth for about 30 seconds then swallow.
Children under 6 years	5 drops twice a day in a glass of water.

## Package

30 ml / 1.0 fl. oz. bottle

## Other Information

Store at 20°-25° C (68°-77° F).

## Inactive Ingredient

Ethyl alcohol 30%

## Contacts

info@gunainc.com, tel. (484) 223 3500  
www.gunainc.com

## Warnings

**Stop use and ask doctor** if symptoms worsen or persist more than 5 days. **If pregnant or breast-feeding** ask a doctor before use. **Keep this and all medicines** out of reach of children.

## GUNA METHOD

PHYSIOLOGICAL REGULATING MEDICINE

### Immune System Support



### Andrology



### Antiaging



US Distributor:



<sup>1</sup> U.S. Food and Drug Administration Sec. 400.400 Conditions Under Which Homeopathic Drugs May be Marketed (CPG7132.15).

These statements have not been evaluated by the Food and Drug Administration. They are not intended to diagnose, treat, cure, or prevent any disease. They are not a substitute for individual medical attention.

# GUNA<sup>®</sup>-IL 3

FDA listed and regulated <sup>1</sup>

HOMEOPATHIC MEDICINE



## Drug Facts

Active Ingredients		Purpose
Interleukin 3	4C	Hematopoiesis Support

## Uses

Hematopoiesis Support

## Directions

Take 15 minutes before meals.

Adults and children 12 years and older	20 drops twice a day in a little water. Hold in the mouth for about 30 seconds then swallow.
Children between 12 years and 6 years of age	10 drops twice a day in a little water. Hold in the mouth for about 30 seconds then swallow.
Children under 6 years	5 drops twice a day in a glass of water.

## Package

30 ml / 1.0 fl. oz. bottle

## Other Information

Store at 20°-25° C (68°-77° F).

## Inactive Ingredient

Ethyl alcohol 30%

## Contacts

info@gunainc.com, tel. (484) 223 3500  
www.gunainc.com

## Warnings

**Stop use and ask doctor** if symptoms worsen or persist more than 5 days. **If pregnant or breast-feeding** ask a doctor before use. **Keep this and all medicines** out of reach of children.

## GUNA METHOD

PHYSIOLOGICAL REGULATING MEDICINE

### Immune System Support



### Healthy Circulation



### Antiaging



US Distributor:



<sup>1</sup> U.S. Food and Drug Administration Sec. 400.400 Conditions Under Which Homeopathic Drugs May be Marketed (CPG7132.15).

These statements have not been evaluated by the Food and Drug Administration. They are not intended to diagnose, treat, cure, or prevent any disease. They are not a substitute for individual medical attention.

# GUNA<sup>®</sup>-IL 4

FDA listed and regulated <sup>1</sup>

HOMEOPATHIC MEDICINE



## Drug Facts

Active Ingredients		Purpose
Interleukin 4	4C	Anti-inflammatory

## Uses

Anti-inflammatory

## Directions

Take 15 minutes before meals.

Adults and children 12 years and older	20 drops twice a day in a little water. Hold in the mouth for about 30 seconds then swallow.
Children between 12 years and 6 years of age	10 drops twice a day in a little water. Hold in the mouth for about 30 seconds then swallow.
Children under 6 years	5 drops twice a day in a glass of water.

## Package

30 ml / 1.0 fl. oz. bottle

## Other Information

Store at 20°-25° C (68°-77° F).

## Inactive Ingredient

Ethyl alcohol 30%

## Contacts

info@gunainc.com, tel. (484) 223 3500  
www.gunainc.com

## Warnings

**Stop use and ask doctor** if symptoms worsen or persist more than 3 days. **If pregnant or breast-feeding** ask a doctor before use. **Keep this and all medicines** out of reach of children.

## GUNA METHOD

PHYSIOLOGICAL REGULATING MEDICINE

### Immune System Support



### Musculoskeletal support



### Pain Relief Support



US Distributor:



<sup>1</sup> U.S. Food and Drug Administration Sec. 400.400 Conditions Under Which Homeopathic Drugs May be Marketed (CPG7132.15).

These statements have not been evaluated by the Food and Drug Administration. They are not intended to diagnose, treat, cure, or prevent any disease. They are not a substitute for individual medical attention.

# GUNA<sup>®</sup>-IL 5

FDA listed and regulated <sup>1</sup>

HOMEOPATHIC MEDICINE



## Drug Facts

Active Ingredients		Purpose
Interleukin 5	4C	Gastrointestinal Antiparasitic Immune Support, Constipation, Abdominal bloating

## Uses

Gastrointestinal Antiparasitic Immune Support, Constipation, Abdominal bloating

## Directions

Take 15 minutes before meals.

Adults and children 12 years and older	20 drops twice a day in a little water. Hold in the mouth for about 30 seconds then swallow.
Children between 12 years and 6 years of age	10 drops twice a day in a little water. Hold in the mouth for about 30 seconds then swallow.
Children under 6 years	5 drops twice a day in a glass of water.

## Package

30 ml / 1.0 fl. oz. bottle

## Other Information

Store at 20°-25° C (68°-77° F).

## Inactive Ingredient

Ethyl alcohol 30%

## Contacts

info@gunainc.com, tel. (484) 223 3500  
www.gunainc.com

## Warnings

**Stop use and ask doctor** if symptoms worsen or persist more than 5 days. **If pregnant or breast-feeding** ask a doctor before use. **Keep this and all medicines** out of reach of children.

## GUNA METHOD

PHYSIOLOGICAL REGULATING MEDICINE

### Immune System Support



### Digestive System Support



### Cold and Flu Symptom Support



US Distributor:



<sup>1</sup> U.S. Food and Drug Administration Sec. 400.400 Conditions Under Which Homeopathic Drugs May be Marketed (CPG7132.15).

These statements have not been evaluated by the Food and Drug Administration. They are not intended to diagnose, treat, cure, or prevent any disease. They are not a substitute for individual medical attention.

# GUNA<sup>®</sup>-IL 6

FDA listed and regulated <sup>1</sup>

HOMEOPATHIC MEDICINE



## Drug Facts

Active Ingredients		Purpose
Interleukin 6	4C	Matrix Detoxification

## Uses

Matrix Detoxification

## Directions

Take 15 minutes before meals.

Adults and children 12 years and older	20 drops twice a day in a little water. Hold in the mouth for about 30 seconds then swallow.
Children between 12 years and 6 years of age	10 drops twice a day in a little water. Hold in the mouth for about 30 seconds then swallow.
Children under 6 years	5 drops twice a day in a glass of water.

## Package

30 ml / 1.0 fl. oz. bottle

## Other Information

Store at 20°-25° C (68°-77° F).

## Inactive Ingredient

Ethyl alcohol 30%

## Contacts

info@gunainc.com, tel. (484) 223 3500  
www.gunainc.com

## Warnings

**Stop use and ask doctor** if symptoms worsen or persist more than 3 days. **If pregnant or breast-feeding** ask a doctor before use. **Keep this and all medicines** out of reach of children.

## GUNA METHOD

PHYSIOLOGICAL REGULATING MEDICINE

### Immune System Support



### Musculoskeletal support



### Pain Relief Support



### Antiaging



US Distributor:



<sup>1</sup> U.S. Food and Drug Administration Sec. 400.400 Conditions Under Which Homeopathic Drugs May be Marketed (CPG7132.15).

These statements have not been evaluated by the Food and Drug Administration. They are not intended to diagnose, treat, cure, or prevent any disease. They are not a substitute for individual medical attention.

# GUNA<sup>®</sup>-IL 7

FDA listed and regulated <sup>1</sup>

HOMEOPATHIC MEDICINE



## Drug Facts

Active Ingredients		Purpose
Interleukin 7	4C	Recurrent Infections

## Uses

Recurrent Infections

## Directions

Take 15 minutes before meals.

Adults and children 12 years and older	20 drops twice a day in a little water. Hold in the mouth for about 30 seconds then swallow.
Children between 12 years and 6 years of age	10 drops twice a day in a little water. Hold in the mouth for about 30 seconds then swallow.
Children under 6 years	5 drops twice a day in a glass of water.

## Package

30 ml / 1.0 fl. oz. bottle

## Other Information

Store at 20°-25° C (68°-77° F).

## Inactive Ingredient

Ethyl alcohol 30%

## Contacts

info@gunainc.com, tel. (484) 223 3500  
www.gunainc.com

## Warnings

**Stop use and ask doctor** if symptoms worsen or persist more than 3 days. **If pregnant or breast-feeding** ask a doctor before use. **Keep this and all medicines** out of reach of children.

GUNA METHOD

PHYSIOLOGICAL REGULATING MEDICINE

Immune System Support



US Distributor:



<sup>1</sup> U.S. Food and Drug Administration Sec. 400.400 Conditions Under Which Homeopathic Drugs May be Marketed (CPG7132.15).

These statements have not been evaluated by the Food and Drug Administration. They are not intended to diagnose, treat, cure, or prevent any disease. They are not a substitute for individual medical attention.

# GUNA<sup>®</sup>-IL 8

FDA listed and regulated <sup>1</sup>

HOMEOPATHIC MEDICINE



## Drug Facts

Active Ingredients		Purpose
Interleukin 8	4C	Excess Mucous Secretions, Antibacterial Immune Support

## Uses

Excess Mucous Secretions, Antibacterial Immune Support

## Directions

Take 15 minutes before meals.

Adults and children 12 years and older	20 drops twice a day in a little water. Hold in the mouth for about 30 seconds then swallow.
Children between 12 years and 6 years of age	10 drops twice a day in a little water. Hold in the mouth for about 30 seconds then swallow.
Children under 6 years	5 drops twice a day in a glass of water.

## Package

30 ml / 1.0 fl. oz. bottle

## Other Information

Store at 20°-25° C (68°-77° F).

## Inactive Ingredient

Ethyl alcohol 30%

## Contacts

info@gunainc.com, tel. (484) 223 3500  
www.gunainc.com

## Warnings

**Stop use and ask doctor** if symptoms worsen or persist more than 3 days. **If pregnant or breast-feeding** ask a doctor before use. **Keep this and all medicines** out of reach of children.

## GUNA METHOD

PHYSIOLOGICAL REGULATING MEDICINE

### Immune System Support



### Brain and Nervous System Support



### Cold and Flu Symptom Support



US Distributor:



<sup>1</sup> U.S. Food and Drug Administration Sec. 400.400 Conditions Under Which Homeopathic Drugs May be Marketed (CPG7132.15).

These statements have not been evaluated by the Food and Drug Administration. They are not intended to diagnose, treat, cure, or prevent any disease. They are not a substitute for individual medical attention.

# GUNA<sup>®</sup>-IL 9

FDA listed and regulated<sup>1</sup>

HOMEOPATHIC MEDICINE



## Drug Facts

Active Ingredients		Purpose
Interleukin 9	4C	Bronchial Hyperreactivity

## Uses

Bronchial Hyperreactivity

## Directions

Take 15 minutes before meals.

Adults and children 12 years and older	20 drops twice a day in a little water. Hold in the mouth for about 30 seconds then swallow.
Children between 12 years and 6 years of age	10 drops twice a day in a little water. Hold in the mouth for about 30 seconds then swallow.
Children under 6 years	5 drops twice a day in a glass of water.

## Package

30 ml / 1.0 fl. oz. bottle

## Other Information

Store at 20°-25° C (68°-77° F).

## Inactive Ingredient

Ethyl alcohol 30%

## Contacts

info@gunainc.com, tel. (484) 223 3500  
www.gunainc.com

## Warnings

**Stop use and ask doctor** if symptoms worsen or persist more than 3 days. **If pregnant or breast-feeding** ask a doctor before use. **Keep this and all medicines** out of reach of children.

## GUNA METHOD

PHYSIOLOGICAL REGULATING MEDICINE

### Immune System Support



### Brain and Nervous System Support



### Pain Relief Support



US Distributor:



<sup>1</sup> U.S. Food and Drug Administration Sec. 400.400 Conditions Under Which Homeopathic Drugs May be Marketed (CPG7132.15).

These statements have not been evaluated by the Food and Drug Administration. They are not intended to diagnose, treat, cure, or prevent any disease. They are not a substitute for individual medical attention.

# GUNA<sup>®</sup>-IL 10

FDA listed and regulated <sup>1</sup>

HOMEOPATHIC MEDICINE



## Drug Facts

Active Ingredients		Purpose
Interleukin 10	4C	Chronic Pain Relief

## Uses

Chronic Pain Relief

## Directions

Take 15 minutes before meals.

Adults and children 12 years and older	20 drops twice a day in a little water. Hold in the mouth for about 30 seconds then swallow.
Children between 12 years and 6 years of age	10 drops twice a day in a little water. Hold in the mouth for about 30 seconds then swallow.
Children under 6 years	5 drops twice a day in a glass of water.

## Package

30 ml / 1.0 fl. oz. bottle

## Other Information

Store at 20°-25° C (68°-77° F).

## Inactive Ingredient


Ethyl alcohol 30%

## Contacts

info@gunainc.com, tel. (484) 223 3500  
www.gunainc.com

## Warnings

**Stop use and ask doctor** if symptoms worsen or persist more than 3 days. **If pregnant or breast-feeding** ask a doctor before use. **Keep this and all medicines** out of reach of children.



<sup>1</sup> U.S. Food and Drug Administration Sec. 400.400 Conditions Under Which Homeopathic Drugs May be Marketed (CPG7132.15).

These statements have not been evaluated by the Food and Drug Administration. They are not intended to diagnose, treat, cure, or prevent any disease. They are not a substitute for individual medical attention.

## GUNA METHOD

PHYSIOLOGICAL REGULATING MEDICINE

### Immune System Support



### Musculoskeletal support



### Pain Relief Support



### Cold and Flu Symptom Support



US Distributor:



# GUNA<sup>®</sup>-IL 11

FDA listed and regulated <sup>1</sup>

HOMEOPATHIC MEDICINE



## Drug Facts

Active Ingredients		Purpose
Interleukin 11	4C	Overactive Pro-inflammatory Immune Activity, Psoriasis and Skin Inflammation Symptoms

## Uses

Overactive Proinflammatory Immune Activity, Psoriasis and Skin Inflammation Symptoms

## Directions

Take 15 minutes before meals.

Adults and children 12 years and older	20 drops twice a day in a little water. Hold in the mouth for about 30 seconds then swallow.
Children between 12 years and 6 years of age	10 drops twice a day in a little water. Hold in the mouth for about 30 seconds then swallow.
Children under 6 years	5 drops twice a day in a glass of water.

## Package

30 ml / 1.0 fl. oz. bottle

## Other Information

Store at 20°-25° C (68°-77° F).

## Inactive Ingredient

Ethyl alcohol 30%

## Contacts

info@gunainc.com, tel. (484) 223 3500  
www.gunainc.com

## Warnings

**Stop use and ask doctor** if symptoms worsen or persist more than 5 days. **If pregnant or breast-feeding** ask a doctor before use. **Keep this and all medicines** out of reach of children.

## GUNA METHOD

PHYSIOLOGICAL REGULATING MEDICINE

### Immune System Support



### Healthy Circulation



### Antiaging



US Distributor:



<sup>1</sup> U.S. Food and Drug Administration Sec. 400.400 Conditions Under Which Homeopathic Drugs May be Marketed (CPG7132.15).

These statements have not been evaluated by the Food and Drug Administration. They are not intended to diagnose, treat, cure, or prevent any disease. They are not a substitute for individual medical attention.

# GUNA<sup>®</sup>-IL 12

FDA listed and regulated<sup>1</sup>

HOMEOPATHIC MEDICINE



## Drug Facts

Active Ingredients		Purpose
Interleukin 12	4C	Anti-Allergy Immune Support

## Uses

Anti-Allergy Immune Support

## Directions

Take 15 minutes before meals.

Adults and children 12 years and older	20 drops twice a day in a little water. Hold in the mouth for about 30 seconds then swallow.
Children between 12 years and 6 years of age	10 drops twice a day in a little water. Hold in the mouth for about 30 seconds then swallow.
Children under 6 years	5 drops twice a day in a glass of water.

## Package

30 ml / 1.0 fl. oz. bottle

## Other Information

Store at 20°-25° C (68°-77° F).

## Inactive Ingredient

Ethyl alcohol 30%

## Contacts

info@gunainc.com, tel. (484) 223 3500  
www.gunainc.com

## Warnings

**Stop use and ask doctor** if symptoms worsen or persist more than 3 days. **If pregnant or breast-feeding** ask a doctor before use. **Keep this and all medicines** out of reach of children.

## GUNA METHOD

PHYSIOLOGICAL REGULATING MEDICINE

### Immune System Support



### Allergy Symptom Support



US Distributor:



<sup>1</sup> U.S. Food and Drug Administration Sec. 400.400 Conditions Under Which Homeopathic Drugs May be Marketed (CPG7132.15).

These statements have not been evaluated by the Food and Drug Administration. They are not intended to diagnose, treat, cure, or prevent any disease. They are not a substitute for individual medical attention.

# GUNA<sup>®</sup>-INF ALPHA

FDA listed and regulated <sup>1</sup>

HOMEOPATHIC MEDICINE



## Drug Facts

Active Ingredients		Purpose
Interferon alpha 2B	4C	Recurrent Viral Infections

## Uses

Recurrent Viral Infections

## Directions

Take 15 minutes before meals.

Adults and children 12 years and older	20 drops twice a day in a little water. Hold in the mouth for about 30 seconds then swallow.
Children between 12 years and 6 years of age	10 drops twice a day in a little water. Hold in the mouth for about 30 seconds then swallow.
Children under 6 years	5 drops twice a day in a glass of water.

## Package

30 ml / 1.0 fl. oz. bottle

## Other Information

Store at 20°-25° C (68°-77° F).

## Inactive Ingredient

Ethyl alcohol 30%

## Contacts

info@gunainc.com, tel. (484) 223 3500  
www.gunainc.com

## Warnings

**Stop use and ask doctor** if symptoms worsen or persist more than 3 days. **If pregnant or breast-feeding** ask a doctor before use. **Keep this and all medicines** out of reach of children.

GUNA METHOD

PHYSIOLOGICAL REGULATING MEDICINE

Immune System Support



US Distributor:



<sup>1</sup> U.S. Food and Drug Administration Sec. 400.400 Conditions Under Which Homeopathic Drugs May be Marketed (CPG7132.15).

These statements have not been evaluated by the Food and Drug Administration. They are not intended to diagnose, treat, cure, or prevent any disease. They are not a substitute for individual medical attention.

# GUNA<sup>®</sup>-INF GAMMA

FDA listed and regulated <sup>1</sup>

HOMEOPATHIC MEDICINE



## Drug Facts

Active Ingredients		Purpose
Interferon gamma	4C	Chronic Viral Infections

## Uses

Chronic Viral Infections

## Directions

Take 15 minutes before meals.

Adults and children 12 years and older	20 drops twice a day in a little water. Hold in the mouth for about 30 seconds then swallow.
Children between 12 years and 6 years of age	10 drops twice a day in a little water. Hold in the mouth for about 30 seconds then swallow.
Children under 6 years	5 drops twice a day in a glass of water.

## Package

30 ml / 1.0 fl. oz. bottle

## Other Information

Store at 20°-25° C (68°-77° F).

## Inactive Ingredient

Ethyl alcohol 30%

## Contacts

info@gunainc.com, tel. (484) 223 3500  
www.gunainc.com

## Warnings

**Stop use and ask doctor** if symptoms worsen or persist more than 3 days. **If pregnant or breast-feeding** ask a doctor before use. **Keep this and all medicines** out of reach of children.

## GUNA METHOD

PHYSIOLOGICAL REGULATING MEDICINE

### Immune System Support



### Cold and Flu Symptom Support



### Allergy Symptom Support



US Distributor:



<sup>1</sup> U.S. Food and Drug Administration Sec. 400.400 Conditions Under Which Homeopathic Drugs May be Marketed (CPG7132.15).

These statements have not been evaluated by the Food and Drug Administration. They are not intended to diagnose, treat, cure, or prevent any disease. They are not a substitute for individual medical attention.